



Safety Data Sheet

Section 01 Identification

Product Identifier	Carbon, Activated Activated Carbon, AUX-EX, Granular, Coconut, 6x12 RO Activated Carbon, CL48S, Granular, Coal, 4x8 Mesh Activated Carbon, CL500, Powdered Coal Activated Carbon, CL830, Granular, Coal, 8x30 Mesh Activated Carbon, CL850, Powdered Coal Activated Carbon CLI46, Extruded, Impregnated, Coal, 4mm pellet Activated Carbon, CT830, Granular, Coconut, 8x30 Mesh Activated Carbon CT830AW, Granular, Coconut, 8x30 Mesh, Acid Washed Activated Carbon CT1240AW, Granular, Coconut, 12x40 Mesh, Acid Washed Addisorb VQ1 Activated Carbon 4.0 mm Coal Aquasorb BP2 Powder Activated Carbon Coal Aquasorb CS Granular Coconut Shell Activated Carbon, 12x40 Mesh Aquasorb CT Granular Coconut Shell Activated Carbon 8x30 Aquasorb Granular Activated Carbon 3500 8x30 Aquasorb Granular Activated Carbon AD-VA3 4 mm Pellet Coal Aquasorb Granular Activated Carbon AS 1500 8x30 Coal Aquasorb Granular Activated Carbon AS 1500 12x40 Coal ColorSorb HP120 N PAC-S Extruded Activated Carbon, Coal, 4mm pellet Haycarb Granular Cocnut Shell Activated Carbon HRO 12x30 Mesh
Other Means of Identification	Activated granular carbon, activated powdered carbon, pelleted activated carbon, activated charcoal animal bone black.
Product Use and Restrictions on Use	Water purification, gold recovery and air scrubbing
Initial Supplier Identifier	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7 Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca
Prepared By	ClearTech Industries Inc. technical writer
24-Hour Emergency Phone	306.664.2522

Section 02 Hazard Identification

GHS-Classification

This product has been assessed in accordance with the Hazardous Products Regulations and is not classified as a hazardous substance or mixture.

Hazards Not Otherwise Classified

May ignite if dispersed in air.

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Ingredients:

Chemical name	Common name(s)	CAS number	Concentration (w/w%)
Carbon	Coal, charcoal	7440-44-0	>99%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation	Get medical advice / attention if you feel unwell or are concerned.
Ingestion	Get medical advice / attention if you feel unwell or are concerned.
Skin contact	Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin irritation occurs or if you feel unwell: Get medical advice / attention.
Eye contact	Gently brush product off face. Do not rub eyes. Let the eyes water naturally for a few minutes. Look right and left, then up and down. If particle / dust does not come out, cautiously rinse eye with lukewarm gently flowing water for 5 minutes or until particle / dust is removed, while holding the eyelids open. If eye irritation persists: Get medical advice / attention. Do not attempt to manually remove anything from the eyes.

Most important symptoms and effects, both acute and delayed

Inhalation	May cause respiratory irritation.
Ingestion	May cause discomfort or nausea.
Skin contact	Not available
Eye contact	May cause eye irritation and redness.
Further information	For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media	Extinguish fire using extinguishing agents suitable for the surrounding fire.
Unsuitable extinguishing media	Water jets are not recommended in fires involving chemicals.
Specific hazards arising from the chemical	In the event of a fire oxides of carbon may be released. Dust from this product may ignite. After a fire this product can smolder for a long time.
Special protective equipment for fire-fighters	Wear NIOSH-approved self-contained breathing apparatus and protective clothing.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures	Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area.
Environmental Precautions	Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.
Methods and Materials for Containment and Cleaning Up	Dry sweeping is not recommended. Pre-dampening the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

Section 07 Handling and Storage

Precautions for Safe Handling	Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.
Conditions for Safe Storage	Store in a cool, dry, well-ventilated area, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Protect label and keep it visible.
Incompatibilities	Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids, hypochlorites and permanganates. Solvents

Section 08 Exposure Controls and Personal Protection

Exposure limits

There are no known exposure limits for this product.

Engineering controls

Ventilation Requirements	Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.
Other	No specific recommendations beyond the required hygiene facilities at the place of work.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection	Where there is potential eye or face exposure, safety glasses are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.
Hand and body protection	Where handling this product it is recommended that skin contact is avoided.
Respiratory protection	In case of insufficient ventilation wear suitable respiratory equipment.
Thermal hazards	Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state	Solid (various states)
Colour	Black
Odour	Odourless
Odour threshold	Not applicable

Property

pH	Not available
Melting point / freezing point	Sublimes >4000 °C
Initial boiling point and boiling range	Sublimes >4000 °C

Safety Data Sheet

Carbon, Activated
ClearTech Industries Inc

Flash point	Not applicable
Evaporation rate	Not available
Flammability	Flammable
Upper flammable limit	Not applicable
Lower flammable limit	Not applicable
Vapour pressure	<1 mm of Hg
Vapour density	Not available
Relative density	200-700 kg/m ³
Solubility	Not soluble in water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	452-518 °C
Decomposition temperature	Not available
Viscosity	Not applicable
Specific gravity	Not applicable
Particle characteristics	Particle size: Not available Particle shape: Not available

Section 10 Stability and Reactivity

Reactivity	Not available
Stability	This product is stable if stored according to the recommendations in Section 07.
Possibility of hazardous reactions	Not available
Conditions to avoid	Avoid contact with incompatible materials. Do not heat.
Incompatible materials	Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids, hypochlorites and permanganates. Solvents
Hazardous decomposition products	Thermal decomposition may produce oxides of carbon.

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component	Route	Species	Value	Exposure time
Carbon	Oral	Rat	>10,000 mg/kg bw	
	Inhalation	Rat	>64.4 mg/l	

Toxic Health Effect Summary

Chemical characteristics	No known effects
Skin	Tested negative for skin irritation
Ingestion	May cause vomiting.
Inhalation	May cause mild irritation
Eye contact	Scored below 1 for OECD guideline 405 on corneal opacity, iritis, conjunctival redness, and conjunctival oedema.

Sensitization	This product and its components at their listed concentration have no known sensitizing effects.
Mutagenicity	This product and its components at their listed concentration have no known mutagenic effects.
Carcinogenicity	This product and its components at their listed concentration have no known carcinogenic effects.
Reproductive toxicity	This product and its components at their listed concentration have no known reproductive effects.
Specific organ toxicity	This product and its components at their listed concentration have no known effects on specific organs.
Aspiration hazard	Aspiration may cause pulmonary edema.
Synergistic materials	Not available

Section 12 Ecological Information

Ecotoxicity

there is no available toxicity data for this product.

Biodegradability	The domestic substance list categorizes carbon as persistent.
Bioaccumulation	The domestic substance list categorizes carbon as non-bioaccumulative.
Mobility	Not water soluble.
Other adverse effects	May absorb dissolved oxygen from water.

Section 13 Disposal Considerations

Waste From Residues / Unused Products	Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act.
Contaminated Packaging	Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number	UN1362 (See additional information)
UN proper shipping name and description	Not available
Transport hazard class(es)	Not available
Packing group	Not available
Excepted quantities	0
Environmental hazards	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
Special precautions	No special precautions
Transport in bulk	ERAP index: not available
Additional information	MARPOL 73/78 and IBC Code: This product is not listed in Chapter 17 of the IBC Code. TDG regulations do not apply to charcoal or carbons that are carbons made by steam activation process [1.48 (c) (iii)] Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: March 02, 2023

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) *NIOSH Pocket Guide to Chemical Hazards*; U.S. Department of Health and Human Services, <https://www.cdc.gov/niosh/npg/default.html>
- 2) *WorkSafe BC E-Limit*; Workers' Compensation Board of British Columbia, <https://elimit.online.worksafebc.com/>
- 3) *ECHA - Registered Substance Dossier*; European Chemicals Agency, <https://echa.europa.eu/registration-dossier/-/registered-dossier/15441/1/1>
- 4) *Transportation of Dangerous Goods Regulations*; Transport Canada, <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html>
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) *Seventh revised edition*
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide