

Section 01 Identification

ClearSurf AOS Powder **Product Identifier**

Other Means of Identification Alpha olefin sulfonate

on Use

Product Use and Restrictions Surfactant for commercial and industrial use.

Initial Supplier Identifier ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

Health Hazards

Skin corrosion / irritation

Serious eye damage / eye

irritation

Category 2 Category 1

Signal Word

Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Pictograms



Precautionary Statements

Prevention

P264 Wash affected body parts thoroughly after handling. P280 Wear protective gloves, eye protection, face protection.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 01, 2023

Page 1 of 7

Response

P303 P352 P332 IF ON SKIN (or hair): Wash with plenty of water. If skin irritation occurs: Get medical advice /

P313 P362 P364 attention. Take off contaminated clothing and wash it before reuse.

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name Common name(s) CAS number Concentration (w/w%)

Sulfonic acids, C14-16-alkane hydroxy and C14-

16-alkene, sodium salts

Alpha olefin sulfonate 68439-57-6 ≥92.0%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Get medical advice / attention if you feel unwell or are concerned. Remove source of exposure or move person

to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

Ingestion Rinse mouth. Get medical advice / attention if you feel unwell or are concerned.

Skin contact Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 15 to 20 minutes. 5 minutes or until product is removed. Get medical advice / attention. Wash contaminated clothing before re-use, or discard. If skin irritation occurs or if you feel unwell: Get medical advice / attention.

Eye contact

Inhalation

Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor.

May cause respiratory irritation.

Most important symptoms and effects, both acute and delayed

Ingestion May cause discomfort or nausea.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Water jets are not recommended in fires involving chemicals.

the chemical

Specific hazards arising from In the event of a fire oxides of carbon and sulphur may be released.

Special protective equipment Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

for fire-fighters

www.cleartech.ca Emergency: 306.664.2522

Customer Service: 800.387.7503 Revision Date: March 01, 2023 Page 2 of 7

Section 06 Accidental Release Measures

Personal Precautions / **Protective Equipment / Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and

Personal Protection). Stay upwind, ventilate area.

Environmental Precautions Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

Dry sweeping is not recommended. Pre-damping the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, away from heat sources and incompatible

> materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible.

Incompatibilities Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Section 08 Exposure Controls and Personal Protection

Exposure limits

There are no known exposure limits for this product.

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

> control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other A soak hose and eyewash station or emergency shower and eyewash station should be

available, tested, and be in close proximity to the product being handled in accordance with

provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 01, 2023

Hand and body protection Where handling this product it is recommended that skin contact is avoided. Disposable

latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or discard.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Solid

ColourLight yellowOdourNot availableOdour thresholdNot available

Property

pH 9-12 @ 1%

Melting point / freezing point 204-207 °C

Initial boiling point and

Not available

boiling range

Flash point Not applicable **Evaporation rate** Not available **Flammability** Non flammable Not available Upper flammable limit Not available Lower flammable limit Vapour pressure Negligible Not available Vapour density Relative density 0.38-0.40 g/cm³ Solubility Soluble in water

Partition coefficient: n-

Log -1.3 @ 20°C

octanol/water

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot applicableSpecific gravityNot applicable

Particle characteristics Particle size: Not available

Particle shape: Powder

Section 10 Stability and Reactivity

Reactivity Not available

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 4 of 7

Conditions to avoid Avoid contact with incompatible materials. Do not freeze.

Dermal

Incompatible materials Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Hazardous decomposition

products

Thermal decomposition may produce oxides of carbon and sulphur.

6300 mg/kg

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component	Route	Species	Value	Exposure time
Alpha olefin sulfonate	Oral	Rat	2079 mg/kg	

Rabbit

Toxic Health Effect Summary

Chemical No known effects

characteristics

Skin Causes skin irritation.

May cause discomfort or nausea. Ingestion Inhalation May cause respiratory irritation. Eye contact Causes serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing effects. Mutagenicity This product and its components at their listed concentration have no known mutagenic effects. Carcinogenicity This product and its components at their listed concentration have no known carcinogenic effects. Reproductive This product and its components at their listed concentration have no known reproductive effects.

toxicity

Specific organ

This product and its components at their listed concentration have no known effects on specific

toxicity

organs. Not available

Aspiration hazard **Synergistic**

Not available

materials

Section 12 Ecological Information

Ecotoxicity

Component	Type	Species	Value	Exposure Time
Alpha olefin sulfonate	LC50	Zebra fish	4.2 mg/L	96 hours
	EC50	Aquatic invertabrates	4.53 mg/L	48 hours
	EC50	Marine algea	1.97 mg/L	72 hours

Biodegradability The domestic substance list categorizes all of the components of this product as non-

persistent.

Bioaccumulation The domestic substance list categorizes all of the components of this product as non-

bioaccumulative.

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects Not available

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 01, 2023

Page 5 of 7

Section 13 Disposal Considerations

Waste From Residues / **Unused Products**

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number Not available UN proper shipping name

and description

Not available

Transport hazard class(es) Not available Packing group Not available **Excepted quantities** Not available

Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

No special precautions Special precautions Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: March 01, 2023

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 01, 2023

If you have any questions or concerns please call our customer service center.

References:

- 1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html
- 2) WorkSafe BC E-Limit; Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/-/registered-dossier/16004
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Glabally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) Internation Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007
- 7) The ACS Style Guide

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 7 of 7 Revision Date: March 01, 2023