

Section 01 Identification

ClearSurf BAC80 **Product Identifier**

Other Means of Identification Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides;

Benzododecinium chloride; BAC; CAS: 68424-85-1; Alternate CAS: 8001-54-5, 139-07-1

on Use

Product Use and Restrictions Cationic surfactant for commercial and industrial use.

Initial Supplier Identifier ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

Flammable liquid Category 3

Health Hazards

Acute toxicity - oral Category 4 Skin corrosion / irritation Category 1 Serious eye damage / eye Category 1

irritation

Signal Word

Danger

Hazard Statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Pictograms



Precautionary Statements

Prevention

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: November 20, 2023

Page 1 of 8

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P260 Do not breathe vapours, fumes, or mists.
- P264 Wash affected body parts thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response

- P301 P312 P330 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor if P331 you feel unwell.
- P303 P361 P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or P363 shower. Wash contaminated clothing before reuse.
- P304 P340 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
- P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

- P403 Store in a well-ventilated place.
- P235 Keep Cool.
- P405 Store locked up.

Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

| Chemical name | Common name(s) | CAS number | Concentration (w/w%) |
|---|-------------------------------|------------|----------------------|
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | Benzododecinium chloride; BAC | 68424-85-1 | ≥80% |
| Ethanol | Ethanol | 64-17-5 | 5-15% |

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Get medical advice / attention if you feel unwell or are concerned. Eliminate all ignition sources if safe to do so.

Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth to mouth contact by using a barrier device.

(AED). Avoid mouth to mouth contact by using a pamer device

Ingestion Rinse mouth. Get medical advice / attention if you feel unwell or are concerned. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs naturally, lie on your side, in the recovery position. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: November 20, 2023

Skin contact Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 30 minutes. 5 minutes or until product is removed. Store contaminated clothing under water and wash before re-use or discard. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use, or discard. If skin irritation occurs or if you feel unwell: Get medical advice / attention.

Eye contact Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed

Inhalation Causes severe burns to the mouth and throat (mist). May cause respiratory irritation.

Ingestion Causes burns to the mouth and throat. Harmful if swallowed. May cause discomfort or nausea.

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing media

Water jets are not recommended in fires involving chemicals.

the chemical

Specific hazards arising from Flammable liquid and vapour. In the event of a fire oxides of carbon and nitrogen may be

released.

Special protective equipment

for fire-fighters

Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / **Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Stay upwind, ventilate area. Do not breathe vapours, fumes,

or mists.

Environmental Precautions

Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. LARGE SPILLS: Contact fire and emergency services and supplier for advice.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of vapours, fumes, or mists into the workplace air.

> Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: November 20, 2023 Page 3 of 8

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat sources and

incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous

residues. Protect label and keep it visible.

Incompatibilities Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Section 08 Exposure Controls and Personal Protection

Exposure limits

| Component | Regulation | Type of listing | Value |
|-----------|------------|-----------------|----------|
| Ethanol | ACGIH | STEL | 1000 ppm |
| | NIOSH | IDLH | 3300 ppm |

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other An emergency shower and eyewash station should be available, tested, and be in close

proximity to the product being handled in accordance with provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

Hand and body protection Where handling this product it is recommended that skin contact is avoided. Disposable

latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or discard.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Liquid

Colour Colourles to pale yellow

Odour Not available
Odour threshold Not available

Property

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: November 20, 2023

pH 6.0-8.0 @ 1%

Melting point / freezing point Not available
Initial boiling point and Not available

boiling range

Flash point 35-60 °C

Not available Evaporation rate Not applicable Flammability Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Not available Vapour density Not available Relative density Not applicable Solubility Soluble in water

Partition coefficient: n-

octanol/water

Log Kow = 2.63 (BAC only)

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableSpecific gravity0.96 g/mL @ 20 °CParticle characteristicsNot applicable

Section 10 Stability and Reactivity

Reactivity Flammable liquid and vapour.

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials.

Incompatible materialsOxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Hazardous decomposition

products

Thermal decomposition may produce oxides of carbon and nitrogen.

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component Route Species Value Exposure time

Benzododecinium chloride Oral Rat 344 mg/kg bw

Dermal Rat >2000 mg/kg bw

Toxic Health Effect Summary

Chemical No known effects

Revision Date: November 20, 2023

characteristics

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Page 5 of 8

Skin Causes severe skin burns.

Ingestion Causes burns to the mouth and throat. Harmful if swallowed. May cause discomfort or nausea.

Inhalation Causes severe burns to the mouth and throat (mist). May cause respiratory irritation.

Eye contact Causes serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing effects.

Mutagenicity This product and its components at their listed concentration have no known mutagenic effects.

This product and its components at their listed concentration have no known carcinogenic effects.

Reproductive toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard
Synergistic

Not available Not available

materials

toxicity

Section 12 Ecological Information

Ecotoxicity

| Component | Type | Species | Value | Exposure Time |
|--------------------------|------|--------------------------|------------|----------------------|
| Benzododecinium chloride | LC50 | Fish | 9.35 mg/L | 96 hours |
| | EC50 | Aquatic invertabrates | 0.032 mg/L | 48 hours |
| | EC50 | Freshwater algea | 0.068 mg/L | 72 hours |

BiodegradabilityThe domestic substance list categorizes Benzododecinium chloride as persistent. **Bioaccumulation**The domestic substance list categorizes Benzododecinium chloride as non-

bioaccumulative.

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects The domestic substance list categorizes Benzododecinium chloride as inherently toxic to

aquatic organisms.

Section 13 Disposal Considerations

Waste From Residues / Unused Products

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number UN2920

UN annual abituaire a name

UN proper shipping name CORROSIVE LIQUID, FLAMMABLE, N.O.S.

and description Quaternary ammonium compounds, Ethanol Transport hazard class(es) 8 (3)

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Revision Date: November 20, 2023

Environmental hazards

Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions Transport in bulk

No special precautions ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information

Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

Special Provisions:

16 (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks).

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: November 20, 2023

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html
- 2) WorkSafe BC E-Limit: Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/-/registered-dossier/30313

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: November 20, 2023

ClearSurf BAC80 ClearTech Industries Inc

Safety Data Sheet

- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007

7) The ACS Style Guide

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: November 20, 2023