

Safety Data Sheet

Section 01 Identification

Product Identifier	Sodium Carbonate Soda Ash Dense Soda Ash Dense, NSF® - 60 Soda Ash Lite, NSF® - 60
Other Means of Identification	Carbonic acid, dibasic; Soda ash
Product Use and Restrictions on Use	Glass manufacture, detergent manufacture, sodium chemical manufacture, carbonate chemicals manufacture, pulp and paper, brine treatment, water hardness removal, pH adjustment in water or waste water, flue gas desulfurization, coal treatment, ion exchange resin regeneration. This product is NSF certified for use in drinking water, see section 15 and the NSF website for further information.
Initial Supplier Identifier	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7 Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca
Prepared By	ClearTech Industries Inc. technical writer
24-Hour Emergency Phone	306.664.2522

Section 02 Hazard Identification

Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

Health Hazards

Serious eye damage / eye	Category 2
irritation	

Signal Word

Warning

Hazard Statements

H319 Causes serious eye irritation.

Pictograms



Precautionary Statements

Safety Data Sheet

Prevention

P264 Wash affected body parts thoroughly after handling.

P280 Wear protective gloveseye protection, face protection.

Response

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P337 P313 and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name	Common name(s)	CAS number	Concentration (w/w%)
Carbonic acid disodium salt	Soda ash, sodium carbonate	497-19-8	>99%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation	Get medical advice / attention if you feel unwell or are concerned.
------------	---

Ingestion Get medical advice / attention if you feel unwell or are concerned.

Skin Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin irritation occurs or if you feel unwell: Get medical advice / attention.

Eye contact
Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 15 to 20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice / attention.

Most important symptoms and effects, both acute and delayed

Inhalation	May cause respiratory irritation.
Ingestion	May cause discomfort or nausea.
Skin contact	May cause redness with prolonged exposure.
Eye contact	Causes serious eye irritation.
Further information	For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media	Extinguish fire using extinguishing agents suitable for the surrounding fire.
Unsuitable extinguishing media	Water jets are not recommended in fires involving chemicals.
Specific hazards arising from the chemical	In the event of a fire oxides of carbon may be released.
Special protective equipment for fire-fighters	Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures	Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area.
Environmental Precautions	Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.
Methods and Materials for Containment and Cleaning Up	Dry sweeping is not recommended. Pre-damping the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

Section 07 Handling and Storage

Precautions for Safe Handling	 Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.
Conditions for Safe Storage	Store in a cool, dry, well-ventilated area, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.
Incompatibilities	Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic. Aluminum

Section 08 Exposure Controls and Personal Protection

Exposure limits

There are no known exposure limits for this product.

Engineering controls	
Ventilation Requirements	Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.
Other	An eye wash bottle or eye wash station should be available, tested, and be in close proximity to the product being handled in accordance with provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection	Where there is potential eye or face exposure, tightly fitting chemical goggles are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.
Hand and body protection	Where handling this product it is recommended that skin contact is avoided.
Respiratory protection	In case of insufficient ventilation wear suitable respiratory equipment.
Thermal hazards	Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state	Solid
Colour	White
Odour	Odourless
Odour threshold	Not applicable
Property	
рН	10.9 @ 1%
Melting point / freezing point	851 °C
Initial boiling point and boiling range	Not applicable, decomposes
Flash point	Not applicable
Evaporation rate	Not available
Flammability	Not flammable
Upper flammable limit	Not available
Lower flammable limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	Not available
Solubility	212.5 g/L in water @ 20 °C
Partition coefficient: n- octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	>400 °C
Viscosity	Not applicable
Specific gravity	Not applicable
Particle characteristics	Particle size: Not available Particle shape: Granules or powder
Formula	Na ₂ CO ₃
Molecular weight	105.99 g/mol

Section 10 Stability and Reactivity

Reactivity	Reacts violently with acids.
Stability	This product is stable if stored according to the recommendations in Section 07.
Possibility of hazardous reactions	Hazardous polymerization is not known to occur.
Conditions to avoid	Avoid contact with incompatible materials.
Incompatible materials	Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic. Aluminum
Hazardous decomposition products	Thermal decomposition may produce oxides of carbon.

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component	Route	Species	Value	Exposure time
Sodium carbonate	Oral	Rat	2800 mg/kg	
	Inhalation	Various	800-2300 mg/m ³	2 hours
	Dermal	Rabbit	>2000 mg/kg	

Toxic Health Effect Summary

Chemical characteristics	Sodium carbonate dissociates and is bioavailable. Primary toxic affect is expected to be pH change.
Skin	May cause redness with prolonged exposure. May cause redness with prolonged exposure.
Ingestion	May cause discomfort or nausea.
Inhalation	May cause respiratory irritation.
Eye contact	Causes serious eye irritation.
Sensitization	This product and its components at their listed concentration have no known sensitizing effects.
Mutagenicity	This product and its components at their listed concentration have no known mutagenic effects.
Carcinogenicity	This product and its components at their listed concentration have no known carcinogenic effects.
Reproductive toxicity	This product and its components at their listed concentration have no known reproductive effects.
Specific organ toxicity	This product and its components at their listed concentration have no known effects on specific organs.
Aspiration hazard	Not available
Synergistic materials	Not available

Section 12 Ecological Information

Ecotoxicity

Component	Туре	Species	Value	Exposure Time
Sodium carbonate	LC50	Mosquitofish	740 mg/L	96 hours
	EC50	Cladoceran	200 mg/L	48 hours
Biodegradability	The domestic substance list categorizes sodium carbonate as persistent.			
Bioaccumulation	The domestic substance list categorizes sodium carbonate as non-bioaccumulative.			
Mobility	This product is water soluble, is not predicted to adsorb to soil and may contaminate ground water.			
Other adverse effects	Not available			

Section 13 Disposal Considerations

Waste From Residues /	Dispose in accordance with all federal, provincial, and local regulations including the
Unused Products	Canadian Environmental Protection Act.
Contaminated Packaging	Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number	This product does not meet the definition of dangerous goods per Part 2 of Transport of Dangerous Goods Regulations
UN proper shipping name and description	Not available
Transport hazard class(es)	Not available
Packing group	Not available
Excepted quantities	Not available
Environmental hazards	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
Special precautions	No special precautions
Transport in bulk	ERAP index: not available
	MARPOL 73/78 and IBC Code: This product is not listed in Chapter 17 of the IBC Code.
Additional information	Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

NSF Certification: Soda Ash Dense, NSF® - 60 is certified under NSF / ANSI Standard 60 for Corrosion & Scale Control and pH Adjustment at a maximum dosage of:NSF product use restrictions based on requirements obtained from the NSF website; consult NSF website for current requirements.

Section 16 Other Information

Date of latest revision: July 21, 2023

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services,

https://www.cdc.gov/niosh/npg/default.html

2) WorkSafe BC E-Limit; Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/

3) ECHA - Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/-/registered-dossier/15432

4) *Transportation of Dangerous Goods Regulations;* Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html

5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition

6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition

7) The ACS Style Guide