

This product is NSF certified for use in drinking water, see section 15 and the NSF website

Section 01 Identification

Product Identifier Sodium Silicofluoride

Other Means of Identification Sodium silicofluoride; sodium fluorosilicate; CAS: 16893-85-9; SSF03

Product Use and Restrictions

on Use

for further information.

for farther information.

Initial Supplier Identifier ClearTech Industries Inc. 1500 Quebec Avenue

Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

Health Hazards

Acute toxicity - inhalationCategory 3Acute toxicity - oralCategory 3Acute toxicity - dermalCategory 3

Signal Word

Danger

Hazard Statements

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

Pictograms



Precautionary Statements

Prevention

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: May 16, 2023

Page 1 of 7

P261 Avoid breathing dust.

P264 Wash affected body parts thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, protective clothing

Response

P301 P310 P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth.

P303 P352 P361 IF ON SKIN (or hair): Wash with plenty of water. Take off immediately all contaminated clothing and

P364 P312 wash it before reuse. Call a POISON CENTER or doctor if you feel unwell.

P304 P340 P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER or doctor.

Storage

P403 Store in a well-ventilated place.

P233 Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name	Common name(s)	CAS number	Concentration (w/w%)
Silicate(2-), hexafluoro-, disodium	Sodium silicofluoride; sodium fluorosilicate	16893-85-9	≥99.0%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation

(AED). Avoid mouth to mouth contact by using a barrier device.

Ingestion Immediately call a POISON CENTER or doctor. Rinse mouth. If breathing has stopped, trained personnel

should begin rescue breathing or, if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth-to-mouth contact by using a barrier device.

Skin Avoid direct contact. Wear chemical protective clothing, if necessary. **contact**

Eye contact

Gently brush product off face. Do not rub eyes. Let the eyes water naturally for a few minutes. Look right and left, then up and down. If particle / dust does not come out, cautiously rinse eye with lukewarm gently flowing water for 5 minutes or until particle / dust is removed, while holding the eyelids open. If eye irritation persists: Get medical advice / attention. Do not attempt to manually remove anything from the eyes.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 2 of 7

Most important symptoms and effects, both acute and delayed

InhalationToxic if inhaled.IngestionToxic if swallowed.

Skin contact Toxic in contact with skin.

Eye contact May cause eye irritation and redness.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Water jets are not recommended in fires involving chemicals.

Specific hazards arising from

the chemical

In the event of a fire toxic and corrosive fumes of hydrogen flouride and silicon tetrafluoride

may be released.

Special protective equipment

for fire-fighters

Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures Wear appropriate personal protective equipment (See Section 08 Exposure Controls and

Personal Protection). Stay upwind, ventilate area. Avoid breathing dust.

Environmental Precautions Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning

Up

Dry sweeping is not recommended. Pre-damping the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure. Avoid generating dust.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Never add water to a corrosive. Always add corrosives to water. When mixing with water, stir small amounts in slowly. Use cold water to prevent excessive heat generation. Never

return contaminated material to its original container.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat sources and

incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous

residues. Protect label and keep it visible.

Incompatibilities Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Section 08 Exposure Controls and Personal Protection

Exposure limits

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: May 16, 2023

Page 3 of 7

Component	Regulation	Type of listing	Value
Fluorides, as F	ACGIH	TWA	2.5 mg/m ³

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other An emergency shower and eyewash station should be available, tested, and be in close

proximity to the product being handled in accordance with provincial regulations.

No specific recommendations beyond the required hygiene facilities at the place of work.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, are recommended. Contact lenses are not

recommended; they may contribute to severe eye injury.

Hand and body protection Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl

rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather

gloves are not recommended for chemical protection. Refer to manufacturer's

specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or

discard.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards

Not available

Section 09 Physical and Chemical Properties

Appearance

Physical stateSolidColourWhiteOdourOdourlessOdour thresholdNot available

Property

pH Not available

Melting point / freezing point

Initial boiling point and
boiling range

Not available

Decomposes

Decomposes

Flash point

Evaporation rate

Flammability

Upper flammable limit

Lower flammable limit

Vapour pressure

Vapour density

Not applicable

Not available

Not available

0.01 Pa

Not available

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Revision Date: May 16, 2023

Relative density g/cm³

Solubility 6.96 g/L @ °C Partition coefficient: n-Log Kow = 0.001

octanol/water

Auto-ignition temperature Not available ~620 °C **Decomposition temperature**

Viscosity Not applicable Specific gravity Not applicable

Particle characteristics Particle size: ≥75% >44 micron

Particle shape: Granular

Formula Na₂SiF₆ Molecular weight 188.06 g/mol

Section 10 Stability and Reactivity

Reactivity This product dissociates in water and may release HF.

Stability This product is stable if stored according to the recommendations in Section 07. This

product will decay over time with an estimated shelf life of 2 years.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials.

Incompatible materials Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Hazardous decomposition

products

In the event of a fire toxic and corrosive fumes of hydrogen flouride and silicon tetrafluoride

may be released.

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component	Route	Species	Value	Exposure time
Sodium silicofluoride	Oral	Mouse	70-430 mg/kg bw	
	Dermal	Rat	70 mg/kg bw	
	Inhalation	Rat	1.81 mg/L	4 hours

Toxic Health Effect Summary

Chemical No known effects

characteristics

Skin Toxic in contact with skin.

Toxic if swallowed. Ingestion Toxic if inhaled. Inhalation

May cause eye irritation and redness. Eye contact

Sensitization This product and its components at their listed concentration have no known sensitizing effects. Mutagenicity This product and its components at their listed concentration have no known mutagenic effects. IARC has classified Fluorides (inorganic, used in drinking-water) as group 3, not classifiable as to its Carcinogenicity

carcinogenicity to humans.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 16, 2023

Reproductive

toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ

toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard **Synergistic** materials

Not available Not available

Section 12 Ecological Information

Ecotoxicity

Component	Type	Species	Value	Exposure Time
Acute toxicity estimate	LC50	Fish	37.5 mg/L	96 hours
	EC50	Aquatic invertabrates	35.4 mg/L	48 hours
	EC50	Algea	18 mg/L	72 hours

Biodegradability The domestic substance list categorizes sodium silicofluoride as persistent.

Bioaccumulation The domestic substance list categorizes sodium silicofluoride as non-bioaccumulative.

This product is water soluble, is not predicted to adsorb to soil and may contaminate ground Mobility

water.

Other adverse effects Not available

Section 13 Disposal Considerations

Waste From Residues /

Unused Products

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number UN2674

UN proper shipping name

and description

SODIUM FLUOROSILICATE

Transport hazard class(es) 6.1 Packing group Ш **Excepted quantities** 5 kg

Environmental hazards

Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special precautions Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Secure containers (full or empty) during shipment and ensure all caps, valves, or closures Additional information

are secured in the closed position.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 16, 2023

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

NSF Certification: Product is certified under NSF / ANSI Standard 60 for fluoridation at a maximum dosage of: 1.2 mg/LNSF product use restrictions based on requirements obtained from the NSF website; consult NSF website for current requirements.

Section 16 Other Information

Date of latest revision: May 16, 2023

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html
- 2) WorkSafe BC E-Limit: Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/-/registered-dossier/14298/
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007
- 7) The ACS Style Guide

Customer Service: 800.387.7503 Emergency: 306.664.2522 Page 7 of 7 Revision Date: May 16, 2023