



Section 01 - Identification

Product Identifier	Viking Car Wash
Other Means of Identification	None
Product Use and Restrictions on Use	Concentrated liquid car wash detergent.
Initial Supplier Identifier	Advance Chemicals Ltd. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7
Prepared By	ClearTech Industries Inc. Technical Writer Phone: 1 (800) 387-7503
24-Hour Emergency Phone	Phone: 1 (306) 664 – 2522

Section 02 - Hazard Identification

GHS-Classification

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Irritation	Category 1

Physical Hazards

No known physical hazards.

Danger

Hazards Statements

H315 – Causes skin irritation.
H318 – Causes serious eye damage.

Pictograms



Precautionary Statements

P280 – Wear protective gloves, protective clothing, eye protection, and face protection.
P302 + P352 – IF ON SKIN: Wash with plenty of soap and water.
P332 + P313 – If skin irritation occurs: Get medical advice/attention.
P362 – Take off contaminated clothing and wash before reuse.
P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 – Immediately call a POISON CENTER or doctor/physician.

Section 03 - Composition / Information on Ingredients

Chemical Name	CAS Number	Weight %	Unique Identifiers
Potassium Hydroxide	1310-58-3	1-15%	
Dodecylbenzene Sulfonic Acid	27176-87-0	1-15%	
Glycol Ether EB	111-76-2	1-15%	
Alkyl Ethoxylated Phosphate Polymer	68130-47-2	1-15%	
Water and/or ingredients not classified as hazardous under the Hazardous Products Regulations		≥ 40%	

Section 04 - First Aid Measures

Inhalation	If symptoms are experienced, remove victim to fresh air. Give artificial respiration only if breathing has stopped. If breathing is difficult, give oxygen. Seek medical attention.
Skin Contact / Absorption	Remove contaminated clothing. Rinse skin with lukewarm, gently flowing water and non-abrasive soap. If irritation persists, seek medical attention. Completely decontaminate clothing, shoes and leather goods before re-use or discard.
Eye Contact	Immediately flush eye(s) with lukewarm, gently flowing water for 30 minutes, while forcibly holding the eyelid(s) open to ensure complete irrigation of the eye tissue. If a contact lens is present, remove only if easy to do so. Seek immediate medical attention.
Ingestion	Never give anything by mouth if victim is rapidly losing consciousness, is unconscious or convulsing. Have victim rinse mouth with water. Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Have victim rinse mouth again. Seek medical attention.
Additional Information	Not Available

Section 05 - Fire Fighting Measures

Suitable Extinguishing Media	Dry chemicals, CO ₂ , alcohol foam or water spray.
Unsuitable Extinguishing Media	Not Available
Specific Hazards Arising From the Chemical	Carbon monoxide, carbon dioxide, oxides of Sulphur,
Special Protective Equipment and Precautions for Fire-Fighters	Wear NIOSH-approved self-contained breathing apparatus and protective gear.
Further Information	Not Available

Section 06 - Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures	Wear appropriate personal protective equipment. Ventilate area. Only enter area with PPE. Stop or reduce leak if safe to do so. Flush with water to remove any residue.
Environmental Precautions	Prevent product from entering sewers or waterways.
Methods and Materials for Containment and Cleaning Up	Clean up spill with non-reactive absorbent and place in suitable, labelled containers for proper disposal.

Section 07 - Handling and Storage

Precautions for Safe Handling	Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.
Conditions for Safe Storage	Store in a cool, dry, well-ventilated area away from heat and sources of ignition. Keep away from incompatible materials.
Incompatibilities	Acids, oxidizers, ammonia, aluminum, tin, lead and zinc.

Section 08 - Exposure Controls and Personal Protection

Exposure Limit(s)

Component	Regulation	Type of Listing	Value
Potassium Hydroxide	ACGIH	TLV-C	2 mg/m ³
	OSHA	PEL-C	2 mg/m ³
Glycol Ether EB	ACGIH	TLV-TWA	20 ppm
	OSHA	PEL-TWA	25 ppm
	OSHA	PEL-T-TWA	50 ppm

Engineering Control(s)

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

Other Emergency shower and eyewash must be available and tested in accordance with regulations and be in close proximity.

Protective Equipment

Eyes/Face Chemical goggles, full-face shield, or a full-face respirator is to be worn at all times when product is handled. Contact lenses should not be worn; they may contribute to severe eye injury.

Hand Protection Impervious gloves of chemically resistant material (rubber or PVC) should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.

Skin and Body Protection Body suits, aprons, and/or coveralls of chemical resistant material should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.
Impervious boots of chemically resistant material should be worn at all times. No special footwear is required other than what is mandated at place of work.

Respiratory Protection If exposure exceeds occupation exposure limits, use an appropriate NIOSH-approved respirator.

Thermal Hazards Not Available

Section 09 - Physical and Chemical Properties

Appearance

Physical State	Liquid
Colour	Red
Odour	Cherry

Odour Threshold Not Available

Property

pH 10 (1% solution)

Melting Point/Freezing Point >0°C

Initial Boiling Point and Boiling Range >100°C

Flash Point Not Applicable

Evaporation Rate Not Available

Flammability Non-flammable

Upper Flammable Limit Not Applicable

Lower Flammable Limit Not Applicable

Vapour Pressure (mm Hg, 20°C) Not Available

Vapour Density (Air=1) Not Available

Relative Density Not Available

Solubility(ies) Soluble in water

Partition Coefficient: n-octanol/water Not Available

Auto-ignition Temperature Not Applicable

Decomposition Temperature Not Available

Viscosity Not Available

Explosive Properties None

Specific Gravity (Water=1) 1.05

% Volatiles by Volume Not Available

Formula Mixture

Molecular Weight Not Available

Section 10 - Stability and Reactivity

Reactivity Not Available

Stability Stable.

Possibility of Hazardous Reactions Hazardous polymerization will not occur.

Conditions to Avoid Excess heat.

Incompatible Materials Acids, oxidizers, ammonia, aluminum, tin, lead and zinc.

Section 11 - Toxicological Information

Acute Toxicity Estimate

Component	Oral LD ₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Viking Car Wash	3,759 mg/kg	4,014 mg/kg	11.4 mg/L

This product has been classified in accordance with the Hazardous Products Regulations using ATE formula documented in the GHS standard.

Chronic Toxicity – Carcinogenicity

Component	IARC
Viking Car Wash	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

Skin Corrosion/Irritation	May cause skin irritation.
Ingestion	May cause gastrointestinal discomfort.
Inhalation	Inhalation of vapours or mists may cause irritation to the respiratory tract.
Serious Eye Damage/Irritation	Corrosive. Capable of causing severe eye burns and permanent damage, including blindness.
Respiratory or Skin Sensitization	Not Available
Germ Cell Mutagenicity	Not Available
Reproductive Toxicity	Not Available
STOT-Single Exposure	Not Available
STOT-Repeated Exposure	Not Available
Aspiration Hazard	Not Available
Synergistic Materials	Not Available

Section 12 – Ecological Information

Ecotoxicity

Component	Toxicity to Algae	Toxicity to Fish	Toxicity to Daphnia and Other Aquatic Invertebrates
Potassium Hydroxide	EC ₅₀ (Algae, 120hr): 1337mg/L	LC ₅₀ (Gambusia affinis, 96hr): 80mg/L	LC ₅₀ (Ceriodaphnia dubia, 48hr): 40mg/L
Dodecylbenzene Sulfonic Acid	EC ₅₀ (Algae, 96hr): 29 mg/L	LC ₅₀ (Salmo gairdnei, 96hr): 3.2-5.6 mg/L	LC ₅₀ (Daphnia magna, 48hr): 3.5 mg/L
Glycol Ether EB	EC ₅₀ (Algae, 7d): >1,000 mg/L	LC ₅₀ (Leuciscus idus melanotus, 48hr): 186 mg/L	LC ₅₀ (Daphnia magna, 24hr): 1,720 mg/L

Biodegradability	Glycol ether EB is expected to biodegrade rapidly.
Bioaccumulation	Potassium hydroxide will not bioaccumulate
Mobility	Glycol ether EB is expected to have high mobility in the soil.
Other Adverse Effects	Potassium hydroxide is toxic to aquatic life due to a shift in water pH.

Section 13 – Disposal Considerations

Waste From Residues/Unused Products	Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.
Contaminated Packaging	Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

Section 14 – Transport Information

UN Number	Not Regulated
UN Proper Shipping Name	Not Regulated
Transport Hazard Class(es)	Not Regulated
Packaging Group	Not Regulated
Environmental Hazards	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
Special Precautions	Not Available
Transport in Bulk	Not Available

TDG

Other Secure containers (full and/or empty) with suitable hold down devices during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

Section 15 – Regulatory Information

NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

Section 16 – Other Information

Preparation Date January 4, 2016

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution[®] initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) CHEMINFO
- 2) eChemPortal
- 3) TOXNET
- 4) Transportation of Dangerous Goods Canada

- 5) HSDB
- 6) ECHA
- 7) PAN

Advance Chemicals Ltd. - Locations

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7

Phone: 1(306) 664 – 2522

Fax: 1(888) 281-8109

www.cleartech.ca

24 Hour Emergency Number - All Locations – 1(306) 664-2522